code CR0855779 6NPC/EFE700

serie SERIE 600

### **GENERAL FEATURES**

A line of compact cooking appliances, designed for people whodo not want to give up on high performance, even in small spaces. Made of AISI 304 18/10 stainless steel, elegantly finished with Scotch Brite satin finish, it has rounded edges and capacious recessed areas; it is 600/650 mm deep and has a modular width of 400/600/700/800/1000 mm; the series comes complete with open base supports, with cupboards or refrigerated bases. The appliances can be easily put together to build a unit, that is compact, without any gaps thanks to a covering profile that guarantees protection against leaks and therefore excellent hygiene. High flues, ergonomic knobs mounted on a sloped control panel for better visibility, make this range easy to use from the very first time. All models are CE-approved.

| Project:  |
|-----------|
| Rev.:     |
| Zone:     |
| Location: |





#### **TECHNICAL DETAILS**

ELECTRIC RANGES

4 ROUND HOTPLATE ELECTRIC RANGE ON ELECTRIC STATIC OVEN

The electric cookers are equipped with cast iron hotplates hermetically secured to the top and have a diameter of 180 mm and 220 mm, with a respective power of 1.5 and 2.6 kW. GN 1/1 static electric oven with adjustable temperature between 110-280°C.

BARON Ali Group srl

Via del Boscon, 424 32100 Belluno - Italy Tel. +39 0437 855411 Fax +39 0437 855444





6NPC/EFE700

serie SERIE 600

### TECHNICAL INFORMATION

| SPECIFICATIONS                   | DATA                                     |
|----------------------------------|--|
| CODE                             | CR0855779                                |
| DEFINITION                       | 4 PIASTRE E.FOR.EL/ST.60 M70 6NPC/EFE700 |
| COMMERCIAL LINE                  | SERIE 600                                |
| SUPPLY                           | ELETTRICA                                |
| WIDTH                            | 700 MM                                   |
| DEPTH                            | 600 MM                                   |
| HEIGHT                           | 870 MM                                   |
| NET WEIGHT                       | 81,200                                   |
| VOLUME                           | 0,365 M3                                 |
| PACKAGING LENGTH                 | 650,000                                  |
| PACKAGING WIDTH                  | 750,000                                  |
| PACKAGING HEIGHT                 | 1150,000                                 |
| PACKAGING VOLUME                 | 0,600                                    |
| PACKAGING GROSS WEIGHT           | 95,000                                   |
| POWER SUPPLY VOLTAGE STANDARD    | 380-415V 3N                              |
| POWER SUPPLY VOLTAGE (OPTIONAL1) | 220-240V 3                               |
| FREQUENCY                        | 50-60 Hz                                 |
| ELECTRIC POWER                   | 12,400 KW                                |
| IPX PROTECTION                   | IPX3                                     |
| CERTIFIED MODEL                  | 6NPC/EFE700                              |
| CERTIFICATION NUMBER             | -  |



Via del Boscon, 424 32100 Belluno - Italy

Tel. +39 0437 855411 Fax +39 0437 855444





<sup>code</sup> CR0855779 MODEL 6NPC/EFE700 serie SERIE 600

#### ACCESSORIESES

| CODE          | MODEL      | DESCRIPTION  |
|---------------|------------|--|
| CR0858029     | 6P4D/S     | PORTINA PER BASE 400                                     |
| CR0858059     | 6P6D/S     | PORTINA PER BASE 600                                     |
| CR0858039     | 6P7D/S     | SET 2 DOORS PER BASE 700                                 |
| MA10405042000 | 6PIC4      | SHELF FOR SUPPORTS                                       |
| MA10405043000 | 6PIC6      | SHELF FOR SUPPORTS                                       |
| CR0858079     | 6PIC7      | RIPIANO PER CAVALLETTO                                   |
| MA10405099000 | 6PIC8      | SHELF FOR SUPPORTS                                       |
| CR0858149     | C70X-GRFVS | CHROME GRID FOR OVEN 650 SERIES                          |
| CR0858159     | C70X-TFVS  | STAINLESS STEEL TRAY FOR OVEN                            |
| CR0858009     | 6CS 4      | KIT DRAWERS PER BASE 400                                 |
| CR0858049     | 6CS 60     | KIT DRAWERS PER BASE 600                                 |
| MA10405014900 | 6CGN       | COPRIGIUNTO  |
| MA10405016900 | 6FC4       | BACK CHIMNEY   |
| MA10405017900 | 6FC6       | BACK CHIMNEY   |
| CR0858019     | 6FC7       | BACK CHIMNEY   |
| 6FC8          | 6FC8       | CHIMNEY  |
| CR0858069     | 6FC10      | BACK CHIMNEY   |
| 6TVA4         | 6TVA4      | FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE |
| 6TVA6         | 6TVA6      | FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE |
| 6TVA8         | 6TVA8      | FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE |
| 8012900010    | BOT/2C     | BOTTLE   |
| CR0952459     | 6TBR12.1   | FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE |
| CR0952469     | 6TBR16.1   | FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE |

Via del Boscon, 424 32100 Belluno - Italy

Tel. +39 0437 855411 Fax +39 0437 855444



<sup>CODE</sup> CR0855779 MODEL 6NPC/EFE700

serie SERIE 600



The hotplates are hermetically secured to the top, which has a concave design to collect liquids and a smooth surface to make it easier to clean.

baron



The GN 1/1 electric oven is available in the static or ventilated version and is fitted with protected heating elements and an adjustable thermostat from 110 to 280°C.

Via del Boscon, 424 32100 Belluno - Italy Tel. +39 0437 855411 Fax +39 0437 855444






code CR0855779 MODEL 6NPC/EFE700

serie SERIE 600

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION -ESQUEMA DE INSTALACION -INSTALLATIESCHEMA - IINSTALLATIONSRITNINGAR

#### MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



LEGENDA - LEGENDE - KEY - LEGENDE - LEYENDA - LEGENDA

E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse etoupr de cable el Pisacable - Elektrische kabelwartel

3

BARON Ali Group srl

Via del Boscon, 424 32100 Belluno - Italy Tel. +39 0437 855411 Fax +39 0437 855444

