

ELECTRIC GRIDDLE WITH 1/2 SMOOTH 1/2 GROOVED PLATE - TOP VERSION

Project:
Rev.:
Zone:
Location:



CODE
CR0856009

MODEL
6NFT/E600LR

SERIE
SERIE 600

GENERAL FEATURES

A line of compact cooking appliances, designed for people who do not want to give up on high performance, even in small spaces. Made of AISI 304 18/10 stainless steel, elegantly finished with Scotch Brite satin finish, it has rounded edges and capacious recessed areas; it is 600/650 mm deep and has a modular width of 400/600/700/800/1000 mm; the series comes complete with open base supports, with cupboards or refrigerated bases. The appliances can be easily put together to build a unit, that is compact, without any gaps thanks to a covering profile that guarantees protection against leaks and therefore excellent hygiene. High flues, ergonomic knobs mounted on a sloped control panel for better visibility, make this range easy to use from the very first time. All models are CE-approved.



TECHNICAL DETAILS

ELECTRIC
ELECTRIC GRIDDLE WITH 1/2 SMOOTH 1/2 GROOVED PLATE - TOP VERSION

The plates are heated by high-power electric heating elements, so as to guarantee that the temperature will rise rapidly and maintain the preselected values. The temperature can be adjusted from 0 to 300°C in the electric ones. The plates are equipped with splash guards so that the hob can be kept perfectly clean and hygienic. The work surface is slightly sloped so as to send sauces, grease and dressings into the capacious drip tray designed for this purpose. Model equipped with thermostatic temperature control, a safety thermostat and power lights.

ELECTRIC GRIDDLE WITH 1/2 SMOOTH 1/2 GROOVED PLATE - TOP VERSION

| | | |
|-------------------|----------------------|--------------------|
| CODE CR0856009 | MODEL 6NFT/E600LR | SERIE SERIE 600 |
|-------------------|----------------------|--------------------|

TECHNICAL INFORMATION

| SPECIFICATIONS | DATA |
|-------------------------------|---------------------------------|
| CODE | CR0856009 |
| DEFINITION | FRY-TOP EL.M 60 M60 6NFT/E600LR |
| COMMERCIAL LINE | SERIE 600 |
| SUPPLY | ELETTRICA |
| WIDTH | 600 MM |
| DEPTH | 600 MM |
| HEIGHT | 295 MM |
| NET WEIGHT | 48,700 |
| VOLUME | 0,106 M3 |
| PACKAGING LENGTH | 730,000 |
| PACKAGING WIDTH | 640,000 |
| PACKAGING HEIGHT | 670,000 |
| PACKAGING VOLUME | 0,313 |
| PACKAGING GROSS WEIGHT | 56,000 |
| POWER SUPPLY VOLTAGE STANDARD | 380-415V 3N |
| FREQUENCY | 50-60 Hz |
| ELECTRIC POWER | 7,800 KW |
| IPX PROTECTION | IPX4 |
| CERTIFIED MODEL | 6NFT/E600LR |
| CERTIFICATION NUMBER | - |

ELECTRIC GRIDDLE WITH 1/2 SMOOTH 1/2 GROOVED PLATE - TOP VERSION

| CODE | MODEL | SERIE |
|-----------|-------------|-----------|
| CR0856009 | 6NFT/E600LR | SERIE 600 |

ACCESSORIESES

| CODE | MODEL | DESCRIPTION |
|---------------|------------|--|
| CR0858029 | 6P4D/S | PORTINA PER BASE 400 |
| CR0858059 | 6P6D/S | PORTINA PER BASE 600 |
| CR0858039 | 6P7D/S | SET 2 DOORS PER BASE 700 |
| MA10405042000 | 6PIC4 | SHELF FOR SUPPORTS |
| MA10405043000 | 6PIC6 | SHELF FOR SUPPORTS |
| CR0858079 | 6PIC7 | RIPIANO PER CAVALLETTO |
| MA10405099000 | 6PIC8 | SHELF FOR SUPPORTS |
| CR0858149 | C70X-GRFVS | CHROME GRID FOR OVEN 650 SERIES |
| CR0858159 | C70X-TFVS | STAINLESS STEEL TRAY FOR OVEN |
| CR0858009 | 6CS 4 | KIT DRAWERS PER BASE 400 |
| CR0858049 | 6CS 60 | KIT DRAWERS PER BASE 600 |
| MA10405014900 | 6CGN | COPRIGIUNTO |
| MA10405016900 | 6FC4 | BACK CHIMNEY |
| MA10405017900 | 6FC6 | BACK CHIMNEY |
| CR0858019 | 6FC7 | BACK CHIMNEY |
| 6FC8 | 6FC8 | CHIMNEY |
| CR0858069 | 6FC10 | BACK CHIMNEY |
| 6TVA4 | 6TVA4 | FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE |
| 6TVA6 | 6TVA6 | FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE |
| 6TVA8 | 6TVA8 | FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE |
| 8012900010 | BOT/2C | BOTTLE |
| CR0952459 | 6TBR12.1 | FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE |

ELECTRIC GRIDDLE WITH 1/2 SMOOTH 1/2 GROOVED PLATE - TOP VERSION

CODE
CR0856009

MODEL
6NFT/E600LR

SERIE
SERIE 600



The fry tops have a protective edge against splashes and a removable deep fat tray.

ELECTRIC GRIDDLE WITH 1/2 SMOOTH 1/2 GROOVED PLATE - TOP VERSION


CODE
CR0856009

MODEL
6NFT/E600LR

SERIE
SERIE 600

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION -INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm
MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



Legenda - Legende - Key - Legende - Leyenda - Legenda - Legenda

E Pressacavo entrata linea elettrica - Stopfbuchse
Electric cable stress relief - Presse etoupr de cable el
Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico