ELECTRIC GRIDDLE WITH SMOOTH CHROMIUM PLATE - TOP VERSION

Project:
Rev.:
Zone:
Location:



CODE

CR0856019

MODEL 6NFT/E600LC SERIE 600

GENERAL FEATURES

A line of compact cooking appliances, designed for people whodo not want to give up on high performance, even in small spaces. Made of AISI 304 18/10 stainless steel, elegantly finished with Scotch Brite satin finish, it has rounded edges and capacious recessed areas; it is 600/650 mm deep and has a modular width of 400/600/700/800/1000 mm; the series comes complete with open base supports, with cupboards or refrigerated bases. The appliances can be easily put together to build a unit, that is compact, without any gaps thanks to a covering profile that guarantees protection against leaks and therefore excellent hygiene. High flues, ergonomic knobs mounted on a sloped control panel for better visibility, make this range easy to use from the very first time. All models are CE-approved.



TECHNICAL DETAILS

ELECTRIC

ELECTRIC GRIDDLE WITH SMOOTH CHROMIUM PLATE - TOP VERSION

The plates are heated by high-power electric heating elements, so as to guarantee that the temperature will rise rapidly and maintain the preselected values. The temperature can be adjusted from 0 to 300°C in the electric ones. The plates are equipped with splash guards so that the hob can be kept perfectly clean and hygienic. The work surface is slightly sloped so as to send sauces, grease and dressings into the capacious drip tray designed for this purpose. Model equipped with thermostatic temperature control, a safety thermostat and power lights.







CR0856019

MODEL 6NFT/E600LC SERIE 600

TECHNICAL INFORMATION

SPECIFICATIONS	DATA
CODE	CR0856019
DEFINITION	FRY-TOP EL.LC 60 M60 6NFT/E600LC
COMMERCIAL LINE	SERIE 600
SUPPLY	ELETTRICA
WIDTH	600 MM
DEPTH	600 MM
HEIGHT	295 MM
NET WEIGHT	48,700
VOLUME	0,106 M3
PACKAGING LENGTH	730,000
PACKAGING WIDTH	640,000
PACKAGING HEIGHT	670,000
PACKAGING VOLUME	0,313
PACKAGING GROSS WEIGHT	56,000
POWER SUPPLY VOLTAGE STANDARD	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRIC POWER	7,800 KW
IPX PROTECTION	IPX4
CERTIFIED MODEL	6NFT/E600LC
CERTIFICATION NUMBER	-







CR0856019

MODEL 6NFT/E600LC SERIE 600

ACCESSORIESES

CODE	MODEL	DESCRIPTION
		- 11 - 1
CR0858029	6P4D/S	PORTINA PER BASE 400
CR0858059	6P6D/S	PORTINA PER BASE 600
CR0858039	6P7D/S	SET 2 DOORS PER BASE 700
MA10405042000	6PIC4	SHELF FOR SUPPORTS
MA10405043000	6PIC6	SHELF FOR SUPPORTS
CR0858079	6PIC7	RIPIANO PER CAVALLETTO
MA10405099000	6PIC8	SHELF FOR SUPPORTS
CR0858149	C70X-GRFVS	CHROME GRID FOR OVEN 650 SERIES
CR0858159	C70X-TFVS	STAINLESS STEEL TRAY FOR OVEN
CR0858009	6CS 4	KIT DRAWERS PER BASE 400
CR0858049	6CS 60	KIT DRAWERS PER BASE 600
MA10405014900	6CGN	COPRIGIUNTO
MA10405016900	6FC4	BACK CHIMNEY
MA10405017900	6FC6	BACK CHIMNEY
CR0858019	6FC7	BACK CHIMNEY
6FC8	6FC8	CHIMNEY
CR0858069	6FC10	BACK CHIMNEY
6TVA4	6TVA4	FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE
6TVA6	6TVA6	FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE
6TVA8	6TVA8	FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE
8012900010	BOT/2C	BOTTLE
CR0952459	6TBR12.1	FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE



ELECTRIC GRIDDLE WITH SMOOTH CHROMIUM PLATE - TOP VERSION



CODE

CR0856019

MODEL 6NFT/E600LC SERIE 600



The fry tops have a protective edge againstsplashes and a removable deep fat tray.



ELECTRIC GRIDDLE WITH SMOOTH CHROMIUM PLATE - TOP VERSION




CODE


CR0856019

MODEL 6NFT/E600LC SERIE 600

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION -INSTALLATIESCHEMA - IINSTALLATIONSRITNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm MESURES EN mm - MEDIDAS EN mm - MATEN IN mm





Legenda - Legende - Key - Legenda - Legenda - Legenda

E Pressacavo entrata linea elettrica - Stopfbuchse
Electric cable stress relief - Presse etoupr de cable el
Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico

