# ELECTRIC BAIN-MARIE - TOP VERSION - 1 X GN1/1 + 2 X GN1/4

| Project:  |  |
|-----------|--|
| Rev.:     |  |
| Zone:     |  |
| Location: |  |



CODE

CR0856199

MODEL 6NBM/E600 SERIE 600

#### **GENERAL FEATURES**

A line of compact cooking appliances, designed for people whodo not want to give up on high performance, even in small spaces. Made of AISI 304 18/10 stainless steel, elegantly finished with Scotch Brite satin finish, it has rounded edges and capacious recessed areas; it is 600/650 mm deep and has a modular width of 400/600/700/800/1000 mm; the series comes complete with open base supports, with cupboards or refrigerated bases. The appliances can be easily put together to build a unit, that is compact, without any gaps thanks to a covering profile that guarantees protection against leaks and therefore excellent hygiene. High flues, ergonomic knobs mounted on a sloped control panel for better visibility, make this range easy to use from the very first time. All models are CE-approved.



#### **TECHNICAL DETAILS**

ELECTRIC BAIN-MARIE - TOP VERSION - 1 X GN1/1 + 2 X GN1/4

The installed power for the electric bain marie ensures that the heating capacity of the appliance is reached rapidly and the preselected operating temperature is maintained. The tank is designed to contain Gastro Norm containers up to a 150 mm high and is sloped towards the front to allow water to flow out correctly from the drain tap located on the front of the machine. The appliance is equipped with a safety thermostat, adhesive heating elements and a light signalling the heating function. The temperature can be adjusted with a thermostatic control from 30 to 2000.







CR0856199

MODEL 6NBM/E600 SERIE 600

### TECHNICAL INFORMATION

| SPECIFICATIONS                | DATA                           |
|-------------------------------|--------------------------------|
| CODE                          | CR0856199                      |
| DEFINITION                    | BAGNOMARIA EL.60 M60 6NBM/E600 |
| COMMERCIAL LINE               | SERIE 600                      |
| SUPPLY                        | ELETTRICA                      |
| WIDTH                         | 600 MM                         |
| DEPTH                         | 600 MM                         |
| HEIGHT                        | 295 MM                         |
| NET WEIGHT                    | 12,700                         |
| VOLUME                        | 0,106 M3                       |
| PACKAGING LENGTH              | 630,000                        |
| PACKAGING WIDTH               | 630,000                        |
| PACKAGING HEIGHT              | 400,000                        |
| PACKAGING VOLUME              | 0,159                          |
| PACKAGING GROSS WEIGHT        | 20,000                         |
| POWER SUPPLY VOLTAGE STANDARD | 220-240V 1N                    |
| FREQUENCY                     | 50-60 Hz                       |
| ELECTRIC POWER                | 1,800 KW                       |
| IPX PROTECTION                | IPX4                           |
| CERTIFIED MODEL               | 6NBM/E600                      |
| CERTIFICATION NUMBER          | -                              |







CR0856199

MODEL 6NBM/E600 SERIE 600

#### ACCESSORIESES

| CODE          | MODEL      | DESCRIPTION  |
|---------------|------------|--|
| CR0858029     | 6P4D/S     | PORTINA PER BASE 400                                     |
| CR0858059     | 6P6D/S     | PORTINA PER BASE 600                                     |
| CR0858039     | 6P7D/S     | SET 2 DOORS PER BASE 700                                 |
| MA10405042000 | 6PIC4      | SHELF FOR SUPPORTS                                       |
| MA10405043000 | 6PIC6      | SHELF FOR SUPPORTS                                       |
| CR0858079     | 6PIC7      | RIPIANO PER CAVALLETTO                                   |
| MA10405099000 | 6PIC8      | SHELF FOR SUPPORTS                                       |
| CR0858149     | C70X-GRFVS | CHROME GRID FOR OVEN 650 SERIES                          |
| CR0858159     | C70X-TFVS  | STAINLESS STEEL TRAY FOR OVEN                            |
| CR0858009     | 6CS 4      | KIT DRAWERS PER BASE 400                                 |
| CR0858049     | 6CS 60     | KIT DRAWERS PER BASE 600                                 |
| MA10405014900 | 6CGN       | COPRIGIUNTO  |
| MA10405016900 | 6FC4       | BACK CHIMNEY   |
| MA10405017900 | 6FC6       | BACK CHIMNEY   |
| CR0858019     | 6FC7       | BACK CHIMNEY   |
| 6FC8          | 6FC8       | CHIMNEY  |
| CR0858069     | 6FC10      | BACK CHIMNEY   |
| 6TVA4         | 6TVA4      | FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE |
| 6TVA6         | 6TVA6      | FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE |
| 6TVA8         | 6TVA8      | FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE |
| 8012900010    | BOT/2C     | BOTTLE   |
| CR0952459     | 6TBR12.1   | FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE |



# ELECTRIC BAIN-MARIE - TOP VERSION - 1 X GN1/1 + 2 X GN1/4



CODE

CR0856199

MODEL 6NBM/E600 SERIE 600



They have a sloped bottom towards the drain to help remove water.



The double boilers are fitted with tanks suited to contain GN trays max.15cm high and come with a perforated bottom and drain cock.








CODE

CR0856199

MODEL 6NBM/E600 SERIE 600

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION -INSTALLATIESCHEMA - IINSTALLATIONSRITNINGAR

## MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



### LEGENDA - LEGENDE - KEY - LEGENDE - LEYENDA - LEGENDA

E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse etoupr de cable el Pisacable - Elektrische kabelwartel

.

