

food processing

M6

MULTI-PURPOSE KITCHEN MACHINE

GASTRONOMY / CANTEENS






- → IP 54 protection (IP 65 in development)
- → Easy-Klick system (stirring bowl)
- → entirely in stainless steel (HACCP optimized)
- → self-explanatory digital control (with overload protection)
- → Modular system (easy to use)











EASY-KLICK System (stirring bowl)



Functional space for GN-containers



XXL filling chute as depot for processing large volumes in one step





Universal basic unit, stainless steel 561 000 0311*

Imperative for cutting attachment and diagonal cutting hopper

Cutting attachment with safety switch-off and pusher 104 018 000*

Attention: universal basic unit not included!

Accessories



Diagonal cutting hopper with safety switch-off and pusher. 104 019 000

Attention: universal basic unit not included!



Curved blade disc stainless steel, adjustable double-blade 0 - 5 mm 561 000 0352*

Cutting of e.g. cabbage, cucumber, peppers, onions



Curved blade disc stainless steel, adjustable single-blade 0 - 10 mm 130 275 000

Cutting of soft vegetables



Crescent blade disc, stainless steel

3 mm 561 000 0363 4 mm 561 000 0360* 6 mm 561 000 0361

Cutting of boiled potatoes, leek, mushrooms, soft fruits



Strip cutting discs, stainless steel

2 x 2 mm Juliennes 561 000 0362 4 x 4 mm Juliennes 561 000 0364 6 x 6 mm 561 000 0366 8 x 8 mm 561 000 0368 Strip cutting of carrots, celery, radishes



Crinkle cutting discs, stainless steel

4 mm 561 000 0369 6 mm 561 000 0367

Crinkle cut of red beets, cucumbers, carrots





Basic carrier disc, stainless steel for

raw vegetable discs, shredding discs, grating discs, potato grating disc, potato pancake disc

568 000 0370*



Raw vegetable discs, stainless steel, hand sharpened

561 000 0380 2 mm 561 000 0382 2,5 mm 3 mm 561 000 0371* 561 000 0374 4 mm

Shredding of raw vegetables e.g. celery, radish, potatoes, carrots, parmesan



Shredding discs, stainless steel, hand sharpened

561 000 0372* 6 mm 561 000 0373 9 mm

Shredding of vegetables e.g. celery, radish, potatoes, carrots, Gouda

Accessories



2 mm 561 000 0381 561 000 0375* 3 mm 561 000 0378 4 mm

Grating discs, stainless steel

Grating e.g. bread, nuts, almonds, chocolates,



Potato grating disc, stainless steel, crown-toothed 561 000 0376

Grating e.g. potatoes, parmesan cheese



Potato pancake disc, stainless steel, partly crown-toothed, combination of 376/380 561 000 0377

Grating e.g. potatoes



Dicer, complete, stainless steel

103 240 100 4 x 4 x 5 mm 5,5 x 5,5 x 5 mm 103 243 100 8 x 8 x 10 mm 103 246 100 103 250 100 11 x 11 x 10 mm 16 x 16 x 10 mm 103 252 100 22 x 22 x 10 mm 103 255 100



Protective hand grip for dicer disc 105 040 190

Cleaning Brush 1500876



Multi disc rack, stainless steel, for 2 discs and 7 exchange discs 561 000 0191*

Disc rack, for 5 discs 561 000 0190





Planetary stirring, beating and kneading unit 15 l 106 035 000*

Composed of: planetary mixer head, stirring bowl 15 I, covering hood 15 I, beating whisk, stirring whisk and kneader



Beating whisk, stainless steel 15 | 561 000 0232

Accessories



Stirring whisk, stainless steel 15 l 561 000 0242



Kneader, stainless steel 15 | 561 000 0265





Meat und vegetable mincer 70 mm with safety switch-off

104 045 000*



Composed of:

meat tray, pusher, mincer housing, worm, 3-part cutting set, coded, stainless steel, L&W.

Incl.: pre-cutter, 4-wing knife, coded perforated disc 4 mm, spacer ring 13 mm.



Solies



Steaker/meat tenderizer Set 104 027 100

Composed of: feed chute and magnet holder. Attention: universal housing as well as the resp. inserts are not included.



Universal housing for strip cutter, steaker and meat tenderizer 104 025 101

Composed of: stainless steel housing and coupling M 6. Attention: To be ordered together with strip cutter set and/or tenderizer/steaker set.



Strip cutter set 104 025 100 Safety switch-off in accordance with EU standard

Composed of: complete lid incl. funnel, magnet holder and pusher. Attention: universal housing as well as the resp. inserts are not included.



Cutting inserts, stainless steel

3,3 mm 15 00 727 5,0 mm 15 00 728 6,6 mm 15 00 729 9,9 mm 15 00 730 19,8 mm 15 00 731



Meat tenderizer insert 15 00 733


Data The figures shown here are for illustration only and may deviate from the actual design version. Technical alterations are reserved. For additional accessories please refer to our price list. **Thems marked with an asterisk are part of the recommended basic equipment. echnical




Technical Data

Power supply	400 V, 50 Hz 3 m cable with CEE plug
Output (kW)	0,5 / 0,7
Fuse protection (A)	16
Ingress protection	IP 54 (splash-proof)
Infinitely variable speed control (rpm)min	160 / 320
Dimensions (L x W x H)	296 x 611 x 551 mm
Weight (kg)	28

M 6 multi-purpose kitchen machine





Processing Capacity

Use	Throughput**
Cutting of vegetables	50 - 200 kg/h
Cutting of soft vegetables	50 - 100 kg/h
Cutting of boiled potatoes, leek and mushrooms	80 - 150 kg/h
Strip cut of e.g. celery, carrots	80 - 150 kg/h
Shredding of e.g. celery, radishes, potatoes, carrots, parmesan	80 - 180 kg/h
Shredding of e.g. celery, radish, potatoes, carrots, gouda cheese	120 - 200 kg/h
Grating e.g. bread, nuts, almonds, chocolates, cheese	50 - 120 kg/h
Grating e.g. potatoes, parmesan cheese	50 kg/h
Grating e.g. potatoes	50 kg/h
Dicing of vegetables, fruits	120 - 200 kg/h
	Cutting of vegetables Cutting of soft vegetables Cutting of boiled potatoes, leek and mushrooms Strip cut of e.g. celery, carrots Shredding of e.g. celery, radishes, potatoes, carrots, parmesan Shredding of e.g. celery, radish, potatoes, carrots, gouda cheese Grating e.g. bread, nuts, almonds, chocolates, cheese Grating e.g. potatoes, parmesan cheese Grating e.g. potatoes

 $[\]star\star$ The throughputs are dependent on cutting thickness and product.

alexandersolia GmbH Alexanderstr. 59 — 61 D-42857 Remscheid info@alexandersolia.com www.alexandersolia.com



