

MEET THE TEAM



Florian Cikalleshi

France Sales Manager florian.cikalleshi@adventys.com / +33 659 054 583



Mathilde Perot Bell

Export Sales Director mathilde.perot@adventys.com / +33 770 329 675



Henry Tan

Export Sales Manager - Asian market henry@adventys.com / +60 196 648 839



Antje Krieger

Export Sales Manager - European market antje.krieger@adventys.com/+33682100305



Vanessa Andreetto

Sales Administration Manager - France vanessa.andreetto@adventys.com / +33 380 204 615



Clara Pellegrini

Communication & Marketing Manager marketing@adventys.com / +33 380 204 615

2	THE COMPANY	
_	Learn more about Adventys	
4	L'OCTOPUS	
	The 2021 innovation	
C	BUFFET RANGE	
6	Induc Stone	p.8
	Induc Elegance	р.10
	Drop-in Buffet	p.14
	Counter-top Buffet	p.15
16	COOKING RANGE Geoline	
10	Snacking	p.18
	Counter-top	p.20
	Drop-in	p.22
2/	COOKING RANGE Bioline	
47	Counter-top	p.27
	Drop-in	p.30
9/	HEAVY DUTY RANGE	
34	Traditional Induction	p.36
	Plancha	p.37
	No-Limit	p.38
	Wok	p.40
	Cupboard / Stockpot	p.40-41
42	KIT RANGE	
	Traditional Induction	p.44
	No-Limit	p.46
	Plancha	p.47





Induction

Induction is our core business. For over 20 years, we have been designing and manufacturing this technology the for Adventys brand and for many of our partners.

Induction is the fastest, most precise, most sanitary, most innovative and most versatile technology.

Whether it is vacuum cooking, warming, cooking at low temperature (such as melting chocolate at 31°C) or at very high temperature (boil 6L of water in 6min): everything is possible with Adventys technology.

International Innovation

Present in more than 75 countries, Adventys is now represented on all the 5 continents.

Our first export zone is Asia, closely followed by the United States, but we are all over Europe, also Australia, New-Zealand, Russia. United Arab Qatar, in Brazil Emirates, and Canada!

Our ability to export is possible thanks to our innovative patents, competitive prices and products in stock year round.

Innovation is in our DNA and is our strength.

In fact, each year Adventys invests 10% of its turnover its Research Development department.

We set ourselves apart from the multinationals in our sector by offering innovative products and patents, and by continuously improving our existing product lines.

Adventys patents have won several international innovation awards at trade shows in our industry.

Intégration

What is vertical integration the manufacturing process at Adventys?

This is 1 factory in which we manufacture our products in their entirety:

Electronic boards, sheet metal, gluing, coils production and assembly as well as numerous quality controls throughout the manufacturing process.

And of course, we stock our entire catalogue on the shelf to deliver our partners within deadlines defying any competition.









The french expertise

Founded more than **20 years ago**, the company **Adventys**, based in Seurre in Burgundy, is the leading **French designer and manufacturer** of kitchen equipment with induction technology.

Induction technology combines many advantages: Precision - Safety - Ecology - Efficiency - Speed.

The manufacturing process is fully integrated, our production workshops allow us to **manufacture** our electronic boards, to **wind** our coils, to **make** the connections, to **shape** the stainless steel and, of course, to **assemble and test** our cooking appliance on our site in Burgundy.

In 2019, significant investments enabled Adventys to expand its finished product storage area in order to ensure the best delivery times for its customers.

We are one of the few companies in Europe to have our **own single-phase and three-phase voltage induction technology**. We offer it in different ranges and different configurations covering the majority of catering and community **needs**.

Did you know?



Adventys is a family business, Jean-Luc Pérot, the CEO, was joined by his daughter Mathilde in 2008. She is now in charge for export sales. In March 2020, Jeanne, his second daughter, joined him and is in charge of industrial activity.

<u>1999</u>

Manufacturer of induction cooking equipment for HoReCa professionals for over 20 years



3000m² of buildings and offices




We export our products to more than 80 countries worldwide



An SME of 40 people



5.2 million euros turnover




R&D

Countless innovations & patents over 30 years of induction experience

OCTOPUS kitchen-in-a-box

L'OCIOPUS sports a two zones induction cooker, removable griddle & plancha plates. Use the removable side shelves for prep work or gastro dishes. L'Octopus is an outdoor & indoor cooking equipment, a real culinary swiss knife.




Octopus Pack

- > 2 induction zones
- > 2 retractable backings for shelf or gastronorm containers
- > Cast iron Plancha & Grill accessories
- > Removable filter
- > Storage under product
- > Compatible trolley
- > Compatible GN 1/3 1/6 1/9 (included frame)

Product features

- > Power: **3500W** (2x1750W)
- > Vitroceramic dimensions 280 x 560 mm
- > Integrated capacitive touches control panel, watt power setting and temperature setting to the nearest degree.
- > Boost (to power up to 3500W on 1 zone and Timer 180 minutes
- > Special heating program for cast iron plancha & grill
- > Power supply 220-240V single-phase 50-60Hz
- > Design and made in France





The Adventys buffet range offers equipment for keeping warm by induction. With powers between 300 and 1000W, Adventys buffet are available in both counter-top and drop-in versions. Thanks to their innovative and elegant design, the appliances of the range embellish and adorn the buffets of the most beautiful places around the world as The Saffron Restaurant in the Atlantis The Palm hotel in Dubai or also the Razorback Stadium in Arkansas (+ than 400 products).

#InvisibleInduction

Induc-stone


An innovative and unique invisible buffet solution. This induction kit fits your granite, quartz, ceramic concrete, wood worktop and more. Without the need for cutting, once installed, the kit becomes invisible and makes your worktop versatile. For optimum safety, the surface does not exceed $55\,^{\circ}$ C but the interior temperature of the chafing-dish can be controlled and reach maximum $90\,^{\circ}$ C.



INDUC-STONE


- > Power 650 watts
- > Product dimensions 340 x 340 x 167mm
- > Deported control panel with 4 touches and 2 digits, setting and display of temperature (20 levels of temperature) and 99 minutes timer.
- > Power supply: 220-240V single phased / 50-60Hz
- > Including 1m80 power cable
- > Designed and made in France
- > Including a spacer Compulsory use
- > Control panel cut-out dimensions: 48x163mm

New control panel 3 touches/4 digits



New

> Control up to 5 units with a single control panel (upon request).








#BuffetInduction

Induc-Elegance


Induc-Elegance Buffets stand out for their aesthetics and fully customizable design. You can choose from 4 standard models or create a unique combination thanks to a large palette of colours and materials. Light, compact and stackable, its use is simple and the handling is quick. They are transportable thanks to their dedicated tailor-made suitcase.



INDUC-ELEGANCE

- > Power: 300 or 1000 watts
- > Glass dimensions 390 x 390 x thk 4 mm
- > Product dimensions 390 x 390 x 97 mm
- > Capacitive touches control panel and 12 levels of temperature setting.
- > Power supply 220-240V single phased / 50-60Hz
- > Option: Interconnection cable which permits to connect 4 products together for 300W and up to 2 for 1000W version
- > 4 standard models, customizable version upon request
- > Designed and made in France

Models



Induc-Elegance prop-in or Flushed —



INDUC-ELEGANCE F DIR

- > Power 300 or 1000 watts
- > Glass dimensions 280 x 280 x thk 4 mm
- > Product dimensions 280 x 280 x 94 mm
- > Remote control panel with 3 capacitive touches and 12 power setting
- > Power supply 220 240V single-phase / 50-60Hz
- > Supplied with silicone seal for drop-in
- > Options: Interconnection cable to connect up to 4 products together (300W version) and up to 2 products for 1000W version.
- > Designed and made in France
- > Product cut-out dimensions: 270 x 270 mm
- > Control panel cut-out dimensions 198 x 68 mm




Silicone seal

300 Watts ADV1816 1000 Watts
ADV1835




Induc-Elegance Large format



INDUC-ELEGANCE IE+300 - 1 ZONE

- > Power 300 watts
- > Glass dimensions 620 x 390 x thk 4 mm
- > Product dimensions 620 x 390 x 97mm
- > Capacitive touches control panel and 12 levels of temperature setting
- > Power supply 220-240V single-phase / 50-60Hz
- > Option: Interconnection cable to connect up to 4 products together
- > 4 standard models, customizable version upon request
- > Designed and made in France







Induc-Elegance Large format

620_{mm}

390mm

INDUC-ELEGANCE IE2 600 - 2 ZONES






- > Product dimensions 620 x 390 x 97mm
- > 2 capacitive touches control panel and 12 levels of temperature setting
- > Power supply 220-240V single-phase / 50-60Hz
- > No interconnection with this version
- > 4 standards models, customizable version upon request
- > Designed and made in France





Buffet prop-in



GL 650 DI / DIR


- > Power 650 watts
- > Glass dimensions 376 x 376 mm
- > Product dimensions 376 x 376 x 173mm
- > Capacitive touches control panel (integrated or remote) On/ Off, timer manual temperature setting (+/-) with 2 digits display (works for both timer and power).
- > Power supply 220-240V single-phase / 50-60Hz
- > Including 1m80 power cable
- > Designed and made in France
- > Product cut-out dimensions: 352 x 352 mm
- > Control panel cut-out dimensions: 48 x 163 mm

DI 650 Watts

ADV1637

DIR 650 Watts

ADV1638





GL 650 FL/FLR

- > Power 650 watts
- > Glass dimensions 340 x 340 mm
- > Product dimensions 340 x 340 x 173 mm
- > Capacitive touches control panel (remote or integrated) On/ Off, timer, manual temperature setting (+/-) with 2 digits display for both timer and power.
- > Power supply 220-240V single-phase / 50-60Hz
- > Designed and made in France
- > Product cut-out dimensions: 48 x 163 mm
- > Control panel cut-out dimensions: 346 x 346 mm

FL 650 Watts

ADV1494

FLR 650 Watts

Buffet counter-top



ARIC 2200

- > Power 2200 watts
- > Glass dimensions 280 x 280 mm
- > Product dimensions 280 x 280 x 94 mm
- > Capacitive touches control panel On/Off, manual power setting (+/-) with a 1 digit display
- > Power supply 220-240V single-phase / 50-60Hz
- > Designed and made in France

ARIC 2200


ADV1815



NRIC 2800

- > Power 2800 watts
- > Glass dimensions 280 x 280 mm
- > Product dimensions 280 x 280 x 94 mm
- > Capacitive touches control panel On/Off, manual power setting (+/-) and timer with 2 digits display each
- > 3 presets
- > Power supply 220-240V single-phase / 50-60Hz
- > Designed and made in France

NRIC 2800



The Geoline Adventys Cooking range offers induction cooking equipment. With higher powers, between 2500 and 3500W per zone in single-phase, the range is available in counter-tops, drop-in and flushed. You will surely find a product that matches your need with our traditional inductions, our planchas or even our induction woks. The many different features allow us to meet most of the expectations of the catering industry.

GEOLINE snacking



GLN 2500 / 3000 / 3500 - 1 zone counter-top

- > Power 2500 / 3000 or 3500W
- > Glass dimensions 280 x 280 protected on 4 sides
- > Product dimensions 310 x 385 x 110mm
- > Capacitive touches control panel manual power or temperature setting (+/-) with 2 digits display
- > Power supply 220-240V single phase / 50-60Hz
- > Timer control with 2 digits display
- > MAX key to reach maximal power instantly
- > Designed and made in France




GLN2 3000 / 3500 S - 2 zones counter top - side by side

- > Power 2 x 1500 or 2 x 1750 watts
- > Product dimensions 590 x 385 x 105mm
- > Glass dimensions 280 x 560 protected on 4 sides
- > Capacitive touches control panel, manual power (watts) or temperature (°C) setting in 5°C step.
- > Power supply 220-240V single phase / 50-60Hz
- > Timer control with 2 digits display
- > MAX key to reach maximal power instantly
- > Designed and made in France



GLN2 3000 / 3500 F- 2 zones counter top - front to back

- > Power 2 x 1750 watts
- > Product dimensions 310 x 665 x 105mm
- > Glass dimensions 280 x 560 protected on 4 sides
- > Capacitive touches control panel, manual power (watts) or temperature (°C) setting in 5° C step.
- > Power supply 220-240V single-phase / 50-60Hz
- > Designed and made in France









GEOLINE counter-top



GL2 6000 S: Large 2 zones - side by side

- > Power 5000 / 6000 / 7000 watts
- > Glass dimensions 650 x 323 mm
- > Product dimensions 650 x 405 x 96 mm
- > Capacitive touches control panel (x2) On/Off, timer control, manual power setting (+/-) with 2 digits display for both time and power.
- > Power supply 220-240V single-phase 50-60Hz power cord without plug for single-phase or three-phase connection.
- > Designed and made in France

 5000 Watts
 6000 Watts
 7000 Watts

 ADV1619
 ADV1551
 ADV1754



GL2 6000 F: Large 2 zones - front to back

- > Power 2 x 2500 / 2 x 3000 / 2 x 3500 watts
- > Glass dimensions 650 x 370mm
- > Product dimensions 730 x 370 x 140mm
- > Capacitive touches control panel (x2) On/Off, timer control, manual power setting (+/-) with 2 digits display for both time and power.
- > Power supply 220-240V single-phase 50-60Hz power cord without plug for single-phase or three-phase connection.
- > Designed and made in France

 5000 Watts
 6000 Watts
 7000 Watts

 ADV1620
 ADV1594
 ADV1755

GEOLINE counter-top



GLP 6000: Induction plancha 2 zones 6000 watts

- > Power 6000 watts
- > Cooking surface 688 x 384 mm
- > Product dimensions 695 x 470 x 275 mm
- > Capacitive touches control panel x2 On/Off, manual temperature setting (+/-) with 4 digits display. Temperature going from 30°C to 250°C
- > Power supply 220-240V single-phase (works from $185\ a$ 270 and from $35\ a$ 70 Hz) power cord without plug for single-phase or three-phase connection.
- > Equipped with grease drawer and grease guard
- > Designed and made in France

6000 Watts

ADV1557



GLW 3000/3500 Induction wok

- > Power 3000 or 3500 watts
- > Coil and glass designed in wok format
- > Product dimensions 390 x 430 x 161 mm
- > Capacitive touches control panel, On/Off manual power setting (+/-) and timer control with 2 digits display for both timer and power.
- > Power supply 220-240V single-phase 50 à 60 Hz) power cord wit plug for single-phase connection.
- > Including a wok pan
- > Designed and made in France

3000 Watts

3500 Watts

ADV1676

GEOLINE Drop-in






GL 3000 DI / DIR - 1 zone induction

- > Power 3000 watts
- > Glass dimensions 340 x 340 mm
- > Product dimensions 376 x 376 x 173 mm
- > Capacitive touches control panel (remote or integrated). On/Off, timer power setting (+/-) with 2 digits display for both timer and power.
- > Power supply 220-240V single-phase 50-60Hz
- > Designed and made in France
- > Product cut-out dimensions 352 x 352 mm
- > Control panel cut-out dimensions 48 x 163 mm

GL 3000 DI Integrated control panel ADV1546 GL 3000 DIR Remote control panel ADV1628





GL2 DIR from 3000 to 7000 W - 2 zones induction

- > Power 2 x 1500/2 x 1750/2 x 2500/2 x 3000/2 x 3500 watts
- > Glass dimensions 663 x 314 mm
- > Product dimensions 700 x 350 x 182mm
- > Capacitive touches control panel (push button). On/Off, timer control, power setting (+/-) with 2 digits display.
- > Power supply 220-240V single-phase 50-60Hz
- > Designed and made in France
- > Product cut-out dimensions 333 x 682 mm
- > Control panel cut-out dimensions 60 x 302 mm

3000 Watts
ADV1621

3500 Watts
ADV1645

5000 Watts

6000 Watts
ADV1623

7000 Watts

GEOLINE Flushed





GL 3000 FL / FLR

- > Power 3000 watts
- > Glass dimensions 340 x 340 mm
- > Product dimensions 340 x 340 x 173 mm
- > Capacitive touches control panel. On/Off, timer, power setting (+/-) with 2 digits display for both timer and power.
- > Power supply 220-240V single-phase 50-60Hz
- > Designed and made in France
- > Product cut-out dimensions 346 x 346 mm
- > Control panel cut-out dimensions 43x163 mm

GL 3000 FL

Integrated control panel

ADV1549

GL 3000 FLR

Remote control panel

ADV1548



GL2 FLR 3000-6000-7000 W - 2 zones induction

- > Power 2 x 1500 / 2 x 3000 / 2 x 3500 watts
- > Glass dimensions 600 x 325 mm
- > Product dimensions 600 x 325 x 254mm
- > Capacitive touches OR knob control panel. On/Off, timer, power setting (+/-) with 2 digits display for both timer and power
- > Power supply 220-240V single-phase 50-60Hz
- > Designed and made in France
- > Product cut-out dimensions 333 x 682 mm
- > Control panel cut-out dimensions 60 x 302 mm

3000 Watts Knob Capacitives

ADV1862 ADV1861 6000 Watts ADV1559

ADV1558

ADV1846 ADV1845


7000 Watts

COOKING LINE BIOLINE -

The Bioline Adventys Cooking range offers induction cooking equipment with high powers between 3000 and 3600W in single-phase and up to 7000W in three-phase. The products of the Bioline range are robust and efficient devices, they are designed for 24 hours/7 use. Available in counter-top and dropin format, you will also find planchas, wok and traditional induction.



Bioline counter-top



BRIC - 1 zone induction - 3000 / 3600W

- > Power 3000 or 3600 watts
- > Glass dimensions 405 x 342 x thk 4mm
- > Product dimensions 526 x 392 x 96 mm
- > Capacitive touches control panel On/Off, power level or watt level. Temperature setting in °C or °F (+/-) with 4 digits display for both power and temperature.
- > 2 presets + timer control with 2 digits display
- > Quality pan control + keyboard lock
- > Instant container temperature control
- > Power supply 220-240V single-phase 50-60Hz
- > Designed and made in France

3000 Watts

3600 Watts

ADV1476

ADV1475

Three-phase



BTIC - 1 zones induction - 6000W three-phase

- > Power 6000 watts
- > Glass dimension 405 x 342 x thk 6mm
- > Product dimensions 392 x 526 x 185mm
- > Capacitive touches control panel. On/Off, manual power setting (+/-) and timer control with 2 digits display for both power and timer.
- > 3 programmable settings
- > Power supply 360-440V three-phase 50-60Hz
- > Designed and made in France

6000 Watts

Bioline couter-top



B2RIC - 2 zones induction - 3000 / 3600W

- > Power 3000 or 3600 watts
- > Glass dimensions 405 x 342 x thk 4mm
- > Product dimensions 526 x 392 x 110 mm
- > Capacitive touches control panel. On/Off, manual power setting (+/-) with 2 digits display for each zone.
- > Power supply 220-240V single-phase 50-60Hz
- > Designed and made in France

3000 Watts

3600 Watts

ADV1740

ADV1741



BGIC - Induction Plancha 3000W/3600W

- > Power 3000 or 3600 watts
- > Cooking surface 300 x 371 mm
- > Product dimensions 526 x 392 x 196 mm
- > Capacitive touches control panel. Temperature setting from 30° to 250°C by 10°C step.
- > Grease drain Option: grease guard
- > Power supply 220-240V single-phase 50-60Hz
- > Designed and made in France

3000 Watts

3600 Watts

ADV1878

Bioline counter-top



BWIC 3000 / 3600 Induction Wok

- > Power 3000 or 3600 watts
- > Product dimensions 526 x 392 x 172 mm
- > Coil and glass designed in wok format
- > Capacitive touches control panel On/Off, power level setting (+/-) and timer control with 2 digits display for both power and timer.
- > 3 programmable settings
- > Power supply 220-240V single-phase 50-60Hz
- > Including wok pan
- > Designed and made in France

3000 Watts

3600 Watts

1607

ADV1606

Three-phase



BTWIC 7000 Induction Wok three-phase

- > Power 7000 watts
- > Product dimensions 526 x 392 x 172 mm
- > Coil and glass designed in wok format
- > Capacitive touches control panel On/Off, power level setting (+/-) and timer control with 2 digits display for both power and timer.
- > 3 programmable settings
- > Power supply 360-440V three-phase 50-60Hz
- > Including wok pan
- > Designed and made in France

7000 Watts

#IngeniousCooking

Bioline prop-in



DRIC 3000 / 3600 - 1 zone induction

- > Power 3000 or 3600 watts
- > Glass dimensions 405 x 342 x thk 4mm
- > Product dimensions 580 x 440 x 170 mm
- > Capacitive touches control panel On/Off, power level or watt level. Temperature setting in $^{\circ}$ C or $^{\circ}$ F (+/-) with 4 digits display for both power and temperature.
- > 2 programmable presets + timer control with 2 digits display
- > Quality pan control + keyboard lock
- > Instant container temperature control
- > Power supply 220-240V single-phase 50-60Hz
- > Supplied with power cord without plug
- > Designed and made in France
- > Product cut-out dimensions 410 x 550 mm

3000 Watts

3600 Watts

ADV1478

ADV1471

Three-phase



DTIC 6000 - 1 zone induction three-phase

- > Power 6000 watts
- > Glass dimensions 405 x 342 x thk 4mm
- > Product dimensions 580 x 440 x 170 mm
- > Capacitive touches control panel. On/Off, manual power setting (+/-) and timer control with 2 digits display for both power and timer.
- > 2 programmable presets
- > Power supply 360-440 three-phase 50-60Hz
- > Supplied with power cord without plug
- > Designed and made in France
- > Product cut-out dimensions 410 x 550 mm

6000 Watts





Bioline prop-in



D2RIC 3000 / 3600 - 2 zones induction

- > Power 2 x 1500 or 2 x 1800 watts
- > Glass dimensions 405 x 342 x thck 4mm
- > Product dimensions 580 x 440 x 185 mm
- > Capacitive touches control panel On/Off, manual power setting (+/-) with 2 digits display for each zone.
- > Power supply 220-240V single-phase 50-60Hz power cord without plug
- > Designed and made in France
- > Product cut-out dimensions: 410 x 550 mm

3000 Watts 3600 Watts ADV1742 ADV1743

D2IC / D2IM 6000 - 2 zones induction

- > Power 2 x 3000 watts
- > Glass dimensions 490 x 342 x thck 4 mm
- > Product dimensions 580 x 440 x 162 mm
- > Capacitive touches control panel On/Off, manual power setting (+/-) with 2 digits display for each zone OR knobs control Two 360° knobs with led light
- > Timer
- > Power supply 220-240V single-phase 50-60Hz power cord without plug
- > Designed and made in France
- > Product cut-out dimensions 410 x 550 mm
- > Control panel cut-out dimensions 72 x 370 mm



440mm

Capacitive touches

ADV1527

Knobs



DWIC 3000 / 3600 Wok induction

- > Power 3000 or 3600 watts
- > Coil and glass designed in wok format
- > Product dimensions 580 x 440 x 300 mm
- > Capacitive touches control panel On/Off, manual power setting (+/-) and timer control with 2 digits display for both power and timer.
- > 3 programmable settings
- > Power supply 220-240V single-phase 50-60Hz -
- > Including wok pan and power cord without plug
- > Designed and made in France
- > Product dimensions cut-out: 410 x 550 mm

3000 Watts 3600 Watts ADV1609 ADV1608

Three-phase



DTWIC 7000 Wok induction three-phase

- > Power 7000 watts
- > Coil and glass designed in wok format
- > Product dimensions 580 x 440 x 300 mm
- > Capacitive touches control panel On/Off, manual power setting (+/-) and timer control with 2 digits display for both power and timer.
- > 3 programmable settings
- > Power supply 360-440V three-phase 50-60Hz
- > Including wok pan and power cord without plug
- > Designed and made in France
- > Product dimensions cut-out: 410 x 550 mm

7000 Watts ADV1438

DGIC 3000 / 3600 Induction Plancha

- > Power 3000 or 3600W
- > Cooking surface 300 x 363 mm
- > Product dimensions 580 x 440 x 225 mm
- > Capacitive touches control panel On/Off, manual temperature setting (+/-) with 4 digits display
- > 3 programmable settings
- > Power supply 220-240V single-phase 50-60Hz
- > Grease drain Option: grease guard
- > Designed and made in France
- > Product cut-out dimensions: 410 x 550 mm



3000 Watts

3600 Watts

DV1877





The Heavy Duty Adventys range offers induction solutions integrated into 400m or 800m furniture. Equipped with threephase voltage, it is a powerful equipment which offers maximum performance. Available as a furniture module, it is also available as module that can be installed on existing worktop. You will find in this range our innovative NO-LIMIT technology.

Heavy-Duty Induction

Three-phase



MO2i 8000 / 12000 - Modular - 2 zones induction three-phase

- > Power 2 x 4000 or 2 x 6000 watts
- > Glass dimensions 646 x 326 mm
- > Product dimensions 400 x 800 x 376-456 mm
- > 360° knob controls with 4 digits power display for each zone
- > Power supply 360-440V three-phase 50-60Hz
- > Designed and made in France
- > Adapted Adventys cupboard (p42-43)

8000 Watts 12000 Watts ADV1656 ADV1657



MO4i 16.000 / 32.000 - Modular - 4 zones induction three-phase

- > Power 4 x 4000 or 4 x 6000 watts
- > Glass dimensions 2x (326x646mm)
- > Product dimensions 800 x 800 x 376-456 mm
- > 360° knob controls with 4 digits power display for each zone
- > Power supply 360-440V three-phase 50-60Hz
- > Designed and made in France
- > Adapted Adventys cupboard (p42-43)

16.000 Watts 24.000 Watts
ADV1658 ADV1659

Heavy-Duty Plancha

Three-phase



MOP2i 8000 - Modular Plancha - 2 zones three-phase

- > Power 2 x 4000 watts
- > Cooking surface 330 x 600 mm
- > Product dimensions 400 x 800 x 376-456 mm
- > 360° knob controls with 4 digits temperature display
- > Power supply 360-440V three-phase 50-60Hz
- > Grease drain Option: grease guard
- > Designed and made in France
- > Adapted Adventys cupboard (p42-43)

8000 Watts

ADV1660



MOP4i 16.000 - Modular Plancha - 4 zones three-phase

- > Power 4 x 4000 watts
- > Cooking surface 750 x 630 mm
- > Product dimensions 900 x 900 x 456 mm
- > 360° knob controls with 4 digits temperature display
- > Power supply 360-440V three-phase 50-60Hz
- > Grease drain Option: grease guard
- > Designed and made in France
- > Adapted Adventys cupboard (p42-43)

16.000 Watts

#LimitlessInduction

Heavy-Duty MULTIZONE



MO2NL 8000 / 16.000 Modular No-Limit 8 zones three-phase

- > Power 8 x 1000 or 8 x 2000 watts
- > Cooking surface 320 x 640 mm
- > Product dimensions 500 x 800 x 900-1029 mm
- > Capacitive touches control panel and incremental encoder. Each coil is set individually. Choice of power setting (watts) or exact temperature setting (°C).
- > 3 programmable settings
- > Power supply 360-440V three-phase 50-60Hz
- > Designed and made in France

8000 Watts

16.000 Watts

ADV1833

ADV1758





MO4NL 16.000 / 32.000 Modular No-Limit 16 zones three-phase

- > Power 16 x 1000 or 16 x 2000 watts
- > Cooking surface 640 x 640 mm
- > Product dimensions 800 x 800 x 900-1029mm
- > Capacitive touches control panel and incremental encoder. Each coil is set individually. Choice of power setting (watts) or exact temperature setting (°C).
- > 3 programmable settings
- > Power supply 360-440V three-phase 50-60Hz
- > Designed and made in France

16.000 Watts

32.000 Watts

ADV1823

Cooking Freedom

Why use 4 pans when you can use 16?

INDUC INDUC INDUC INDUC



Discover the concept in our video

The No-Limit technology is an Adventys patented innovation. This unique concept offers a cooking surface from 4 to 16 coils of 1 or 2 kW each. Each inductor can be set individually but you can also choose a setting per zone (4 coils) with precision to the nearest degree.

You can place a large number of containers of any size over the entire surface and use multiple cooking methods: sear, boil, simmer...

Induc No-Limit lives up to its name, it opens up possibilities and allows you to maximise the space of your kitchen thanks to the wide choice of format and layout.



Heavy-Duty wok



MOWi Modular Wok Induction three-phase

- > Power 8000 watts
- > Glass and coil designed in wok format
- > Product dimensions 400 x 800 x 376-456 mm
- > 360° knob controls with 4 digits power display for each zone
- > Power supply 360-440V three-phase 50-60Hz power cord without plug
- > Designed and made in France
- > Adapted Adventys cupboard (p42-43)

8000 Watts

ADV1661



Cupboard 400

- > Full Inox
- > Specially designed for our heavy-duty range
- > Product dimensions 400 x 740 x 620-685 mm
- > Removable door
- > Pre-drilled for plancha grease drainage
- > Designed and made in France

400mm



Cupboard 800

- > Full Inox
- > Specially designed for our heavy-duty range
- > Product dimensions 800 x 740 x 620-685 mm
- > Removable door
- > Pre-drilled for plancha grease drainage
- > Designed and made in France

800mm

ADV1686

Stockpot

Stockpot



FISP Stockpot three-phase


- > Power 8000 watts
- > Glass dimensions 360 x 360 mm
- > Product dimensions 600 x 600 x 262-500 mm
- > Knob control + led
- > Made for cooking pots and large volume cooking
- > Power supplu 360-440V three-phase 50-60Hz
- > Maximum weight 100kg
- > Designed and made in France

8000 Watts



The Adventys Kits range brings together all our induction solutions for integration into existing furniture. You will find our traditional inductions, our planchas and woks as well as our No-Limit innovation available in several formats. Adventys supports you, now we can also design your custom-made projects and integrate the equipment ourselves.






KTi1 4000 / 6000 Induction Kit - three-phase

- > Power 4000 or 6000 watts
- > Glass dimensions 320 x 320 mm or 360 x 360 mm
- > Knob remote control (Capacitive touches upon request)
- > Power supply 360-440V three-phase 50-60Hz
- > Upon request: Compatible with TERAWATT & SITRONIC energy optimizer
- > Designed and made in France
- > Vitroceramic cut out dimensions 360: 366 x 366 mm
- > Vitroceramic cut out dimensions 320: 326 x 326 mm


KTİ1 4000	360x360mm	320x320mm	KTİ1 6000	360x360	320x320
Integrated generator	ADV1704	ADV1863	Integrated generator	ADV1706	ADV1811
Remote generator	ADV1705	ADV1888	Remote generator	ADV1707	ADV1887



KTi2 8000/10.000 /12.000- 2 zones Induction Kit - three-phase

- > Power 8000 or 10.00 or 12.000 watts
- > Glass dimensions 360 x 690 mm or 325 x 600 mm
- > Knob remote control (Capacitive touches upon request)
- > Power supply 360-440V three-phase 50-60Hz
- > Upon request: Compatible with TERAWATT & SITRONIC energy optimizer
- > Designed and made in France
- > Vitroceramic cut out dimensions 360: 366 x 696 mm
- > Vitroceramic cut out dimensions 325: 331 x 606 mm

KTi2 8000	360x690	325x600	KTİ2 10.000	360x690	325x600	KTİ2 12.000	360x690	325x600
Integrated generator	ADV1677	ADV1665	Integrated generator	ADV1689	ADV1885	Integrated generator	ADV1688	ADV1667
Remote generator	ADV1708	ADV1666	Remote generator	ADV1884	ADV1886	Remote generator	ADV1709	ADV1668




KTWi1 4000 / 6000 Induction Kit - three-phase

- > Power 4000 or 6000 watts
- > Coil and glass designed in wok format
- > Product dimensions 320 x 320 mm or 360 x 360 mm
- > Knob remote control (Capacitive touches upon request)
- > Power supply 360-440V three-phase 50-60Hz
- > Upon request: Compatible with TERAWATT & SITRONIC energy optimizer
- > Designed and made in France
- > Cut out dimensions: 366 x 366 mm

KTWI 4000 D	360x360mm	KTWI 6000 D	360x360
Remote generator	ADV1710	Remote generator	ADV1711



1S NO-LIMIT - MULTIZONE -



KNL44000/8000 Multizone Induction Kit - 4 zones KNL4 4000 / 8000 S Saucier Multizone Induction Kit

- > Power 4000 ou 8000 watts
- > Glass dimensions KNL4 360 x 360 KNL4\$ 220 x 690mm
- > Remote control panel Capacitive touches and knob 4 digits
- > Power supply 360-440V three-phase 50-60Hz
- > Designed and made in France
- > Cut out dimensions KNL4: 366 x 366mm
- > Cut out dimensions KNL4S: 226 x 696 mm

KNL4 4000 Watts

KNL4 8000 Watts

KNL4 S 4000 Watts


KNL4 S 8000 Watts

ADV1825

ADV1669

ADV1826

ADV1712



KNL8 8000 / 16.000 Multizone Induction - 8 zones

- > Power 8000 ou 16.000 watts
- > Glass dimensions 360 x 690 mm
- > Remote control panel Capacitive touches and knob 4 digits
- > Power supply 360-440V three-phase 50-60Hz
- > Designed and made in France
- > Cut out dimensions: 366 x 696 mm



16.000 Watts

ADV1670

Side by Side

8000 Watts

16.000 Watts

ADV1828

ADV1781



KNL16 16.000 / 32.000 Induction Multizone - 16 zones

- > Power 16.000 or 32.000 watts
- > Glass dimensions 360 x 690 mm
- > Remote control panel Capacitive touches and knob 4 digits
- > Power supply 360-440V three-phase 50-60Hz
- > Designed and made in France
- > Cut out dimensions: 696 x 696 mm





Side by Side 16.000 Watts

32.000 Watts

ADV1830

ADV1757

ADV1662

32.000 Watts

394mm

394mm





430mm

>30_{MM}

P1IM 4000 Induction Plancha Kit - 1 zone

- > Power 4000 watts
- > Cooking surface 330 x 300 mm Grill surface multilayer composite material
- > Product dimensions 394 x 430 x 140 mm
- > Knob remote control 4 digits Temperature display
- > Grease drain
- > Power supply 360-440V three-phase 50-60Hz
- > Designed and made in France
- > Cut out dimensions: 362 x 398 mm



ADV1653





- > Power 8000 watts
- > Cooking surface 330 x 300 mm Grill surface multilayer composite material
- > Product dimensions 730 x 394 x 157,5 mm
- > Knob remote control 4 digits Temperature display
- > Power supply 360-440V three-phase 50-60Hz
- > Grease drain
- > Designed and made in France
- > Cut out dimensions: 362 x 698 mm



ADV1654



P4IM 16000 Induction Plancha Kit - 2 zones

- > Power 16.000 watts
- > Cooking surface 330 x 300 mm Grill surface multilayer composite material
- > Product dimensions 800 x 800 x 183 mm
- > 2x Knob remote control 4 digits Temperature display
- > Power supply 360-440V three-phase 50-60Hz
- > Grease drain
- > Designed and made in France
- > Cut out dimensions 637x637 mm


16.000 Watts



Your custom-made projects

By Adventys

Adventys supports you in your custom-made projects. We put our know-how at your service to help you make your ideas come true. Our industrial sheet metal activity and our wide product ranges allow us to offer you different solutions, entablatures to be installed on cupboards, unique cooking bespoke. We can also adapt to existing configurations.



QUOTE IN 48H

Adventys guarantee:

Technical support on site

A dedicated contact person

C.E certified cooking bespoke

Induction after-sales service parts available within 24H



Our Workshops



Design offices

ADVENTYS has **CAD resources** to produce precise mechanical parts and validate their assembly by 3D simulation, a **guarantee of manufacturing quality.** We also have electronic design resources that are constantly updated through the acquisition of **new development tools and the training** of our technicians and engineers. An endurance test room confirms the **reliability** of our devices before they are marketed.

Metal shop

The desire to obtain a careful design of our products requires significant investment in the field of **fine sheet metal**. Thanks to that, our products are considered as **references on the market**. Our modern machine park (digital punching and folding machine, stamping tools) permits us to produce, entirely **in our premises**, the stainless steel components that make up our product.







Electronic workshop

For a full control of reliability, ADVENTYS has chosen to **produce its electronic boards internally** using automated machines for component assembly, welding and testing. The manufacturing process is certified **ISO 9001: 2015.**

Assembly lines

The cooking appliances marketed by ADVENTYS are **assembled** and **tested** on our four assembly lines, with an **annual capacity** of more than **10,000 products**, in strict compliance with internal procedures and professional safety standards.





Show-room

A **150m² showroom** as well as a demonstration kitchen make it possible to present the different ranges of appliances sold and to organize **commercial or technical training** for our customers. We welcome our customers all year round to take guided tours of our factory.







Follow Us!









Route de Pagny - 21250 SEURRE - France SAS Capital de 525.300€ - Siret 483 445 011 00016