



# **Performances**

160.6PE/PiE

#### **DESIGN**

The Performances range of rotisseries has been especially designed for high-volume cooking with high output and speed, while retaining excellent cooking quality. Well designed, user friendly and reliable the Performances is used by leading supermarkets and chain restaurants throughout the world.

Conscious of the high energy cost involved for our clients, the Performances rotisserie has energy saving infrared burners, patented by Rotisol. A wide array of accessories enable the rapid roasting of a variety of products.

#### **FEATURES**

- Energy efficient
- □ Tempered K-glass doors
- ☐ Independent motor for each spit
- ☐ Equipped with bottom drip tray with built-in drainage
- ☐ Reinforced and anti warping heating element
- □ Powerful halogen lamp
- ☐ Delivered with 6 prongless spits (CUI1160)
- Illuminated sign «Rotisserie»
- Base on casters with brakes





### TECHNICAL DETAILS

Overview of some of the standard features.



Independent motors adjustable in depth for each spit



Robust hinges designed for heavy use, with integrated locking in open and closed positions



Easy and protected access to the compartment of connections and electrical components.



Reinforced heating elements with stainless steel holders to keep them in place and removable stainless steel panels for easy cleaning.



Anti-scald K-glass reduces external thermal radiation (energy saving). Glass overlaps drip pan to keep splatters inside (anti-slip rotection).



Removable inside side-panels doubles protection from grease seeping into motors and other sensitive parts

## **ACCESSORIES**

A variety of accessories are available. See video of available accessories and of vertical spit system online.

CUI1160 Anti-cutting prongless V-spit.	*	PID1160 Tray for unspit- ting.	BRC1160 Rectangular basket spit.	
BS1160 Spit for ham / turkey.	+ + + +	BRRO1160 Roast-clamp spit.	BA1160 Lamb/suckling- pig spit.	*
BCR1160 Spatchcock chicken basket.		DEC Spit mover.	 AT Gas lighter.	



# **Performances**

# 1160.6PE/PiE

# Front view


Rotisserie with roof (optional) and base on casters (optional)


## Side view

Rotisserie with roof (optional) and base on casters (optional)

#### Top view

Rotisserie with roof (optional) and base on casters (optional)





or Base Cabinet



Revised:
October 2020

# 1160.6PiE Stainless steel



# **SPECIFICATIONS**

Capacity roasted chickens	24/30 poultries		
Power supply	400 Volts 3 phases+neutral+earth		
Electrical power	19.53 kW		
Weight and size (HxDxW)*	182 kg ; 1985 x 655 x 1145 mm		
Shipping weight and size*	243 kg ; 2000 x 750 x 1210 mm		
Guarantee	1 year on parts		

<sup>\*</sup> with a stand or base cabinet (optional)

## Rotisol S.A.S.

Zone industrielle La Trentaine, Avenue Gustave Eiffel 77507 Chelles cedex - FRANCE

s.bennell@rotisol.com - Tel: +33 1 64 21 80 00

www.rotisol.com

**DISTRIBUTOR / AGENT**