



Total Food-Service Solutions

Modular Cooking – Meritus 750

Electric Griddle Pan

NEGP 4-75 MR



*Due to routine technical improvement, the photograph shown may not represent the latest design of the products.

AVAILABLE MODEL

1. NEGP 4-75 MR

DESCRIPTION

Electric Griddle Pan with 4.6 kW power rate. Water temperature maintained by thermostat with maximum working temperature of 300°C. Unit to be installed on open cabinet or similar elements, cantilever, or solid block solutions. Featuring removable clip joint to connect Meritus family product.

ITEM# : _____

MODEL# : _____

NAME : _____

SN : _____

MAIN FEATURE

- Maximum working temperature of 300°C.
- Unit to be installed free standing, can be joined with base cabinet, table stand or cantilever system.
- Service maintenance can be done from the front panel.

CONSTRUCTION

- All exterior panels in 304 type of Stainless Steel.
- Orbitel top panel anti-scratch finishing.
- Top and side are mounted by 1.5mm of Stainless Steel.
- Adjustable ± 25 mm Stainless Steel leg.
- Material Griddle is SS420 (t = 20mm).

INCLUDED ACCESSORIES

- Food Pan GN 1/1 x 100
- Nylon Drain Plug

OPTIONAL ACCESSORIES

- Clip Plate for Joining


APPROVAL : _____

PT. NAYATI INDONESIA
www.nayati.com
nayati@nayati.com


The company reserves the right to make modifications to the products without prior notice.
All information correct at time of printing.
2018.06.25




FRONT



TOP



SIDE



 Electric Connection

* Overall Dimension in mm

ELECTRIC

Electrical rating (kW)	:	4.6
Element rating (kW)	:	4.6
Electrical supply voltage	:	400V 3N
Required electrical supply (amps):		16
Electrical current split (amps) :		L1: 15.45
		L2 : 15.45
		L3 : 5.54

KEY INFORMATION

Cooking surface (WxD)	:	310 x 510 mm
Direct heat emission	:	1.15 kW
Latent heat emission	:	1.84 kW
Steam emission	:	2.70 kg / h
Min. working temperature	:	50°C
Max. working temperature	:	300°C
Capacity	:	15 L
Shipping height	:	1000 mm
Shipping width	:	460 mm
Shipping depth	:	840 mm
Shipping volume	:	0.386 m ³

APPROVAL

PT. NAYATI INDONESIA
www.nayati.com
nayati@nayati.com

The company reserves the right to make modifications
to the products without prior notice.
All information correct at time of printing.
2018.06.25