




Total Food-Service Solutions

## Modular Cooking –Oriental

### Electric Teppanyaki

NETY 5.8-50



\*Due to routine technical improvement, the photograph shown may not represent the latest design of the products.

#### AVAILABLE MODEL

1. NETY 5.8-50

#### DESCRIPTION

Electric Teppanyaki with 26 kW/m<sup>2</sup> Heating Area Capacity. Energized with SSS Heating System for stable and un-fluctuated heating performance. Controlled with Safety Thermostat for temperature management with 2 heating zones. Equipped with splash back and grooved edge for oil collection and drainage. Constructed with solid working surface and hygienic design with access to all corners.

ITEM# : \_\_\_\_\_

MODEL# : \_\_\_\_\_

NAME : \_\_\_\_\_

SN : \_\_\_\_\_

#### MAIN FEATURE

- Griddle made from solid Stainless Steel 420 KnifeSteel.
- SSS Griddle Heating System.
- Hygienic Design
- Safety thermostat to avoid overheating.
- IPX4 water protection.

#### CONSTRUCTION

- All exterior panels in 304 type of Stainless Steel.
- Constructed with solid working surface.
- Splash back to protect oil sprinkling.

#### INCLUDED ACCESSORIES

- N/A

#### OPTIONAL ACCESSORIES


- Scraper.
- Power Cable

APPROVAL : \_\_\_\_\_

PT. NAYATI INDONESIA  
[www.nayati.com](http://www.nayati.com)  
[nayati@nayati.com](mailto:nayati@nayati.com)

The company reserves the right to make modifications to the products without prior notice.  
All information correct at time of printing.  
2018.01.03





## ELECTRIC

Electrical rating (Kw)	:	6.3
Element rating (kW)	:	6.3
Electrical supply voltage	:	400V 3N
Required electrical supply (amps):	:	14
Power Cable	:	
~ Cable Type	:	H07RN-F
~ Cable Dimension	:	3 x 2.5mm <sup>2</sup>
Electrical current split (amps) :		L1: 14
		L2: 14
		L3: 0

## KEY INFORMATION

Cooking surface (WxD)	:	492 x 412 mm
Direct heat emission	:	2.08 kW
Latent heat emission	:	2.52kW
Steam emission	:	3.70 kg / h
MIN working temperature	:	50°C
MAX working temperature	:	250°C
Temperature control	:	2
Net weight	:	-
Shipping height	:	
Shipping width	:	
Shipping depth	:	
Shipping volume	:	

## APPROVAL

PT. NAYATI INDONESIA  
www.nayati.com  
nayati@nayati.com

The company reserves the right to make modifications  
to the products without prior notice.  
All information correct at time of printing.  
2018.01.03