





KLIMA FISH

The new frontier in the world of fish ageing





KLIMA FISH, the latest patented ageing device born in the Zernike house, overturns the established paradigms on fish processing.

The precision of the electronic control allows precise management of temperature, humidity and air recirculation inside the chamber which, combined with the patented oxygenation system OxigenKLIMA, allows to reproduce the ideal conditions for quality maturation in perfect biosecurity, reducing unpleasant odor, the dangers of decomposition and bacterial proliferation.

Thanks to KLIMA FISH the best fish will no longer be the one just caught, but the ripened one: the ageing of the fish is in fact a process that softens the meat, intensifies the flavors and increases the juiciness, allowing to extract and enhance all the organoleptic characteristics of the fish which otherwise would be quite neutral.

This innovative ageing technique can go even beyond thirty days on large-sized fish with pink meat and a greater quantity of intramuscular fat, with a significant improvement also from the point of view of texture on the palate and digestibility.

The advantages of our patents




A PERFECT MICROCLIMATE WITH A UNIQUE AIR DIFFUSION SYSTEM



HEALS WITHOUT
THE USE OF CHEMICALS





models EASY	LINE 700	LINE 900	LINE 1500
Capacity Kg min/max*	30/50 Kg*	40/60 Kg*	60/100 Kg*
Stainless steel Black metal Black metal, rear glass	KFE700PV KFE700PVB KFED700PVB	KFE900PV KFE900PVB KFED900PVB	KFE1500PV KFE1500PVB KFED1500PVB
Size	740x850x2115h	920x800x2115h	1460x850x2115h
Voltage	230V/50/1	230V/50/1	230V/50/1
Power	kW 0,40	kW 0,40	kW 0,70
Included standard accessories	1 inox fridge rack 2 hooks system, 8 hooks 3 couples inox rails Oxigenklima	1 inox fridge rack 2 hooks system, 8 hooks 3 couples inox rails Oxigenklima	2 inox fridge racks 4 hooks system, 16 hooks 6 couples inox rails Oxigenklima

^{*} Suggested capacity for a correct working

models SYSTEM	LINE 700	LINE 900	LINE 1500
Capacity Kg min/max*	30/50 Kg*	40/60 Kg*	60/100 Kg*
Stainless steel Black metal Black metal, rear glass	KFS700PV KFS700PVB KFSD700PVB	KFS900PV KFS900PVB KFSD900PVB	KFS1500PV KFS1500PVB KFSD1500PVB
Size	740x850x2115h	920x800x2115h	1460x850x2115h
Voltage	230V/50/1	230V/50/1	230V/50/1
Power	kW 0,40	kW 0,40	kW 0,70
Included standard accessories	1 inox fridge rack 3 hooks system, 12 hooks 4 couples inox rails Oxigenklima	1 inox fridge rack 3 hooks system, 12 hooks 4 couples inox rails Oxigenklima	2 inox fridge racks 6 hooks system, 24 hooks 8 couples inox rails Oxigenklima

^{*} Suggested capacity for a correct working

ACCESSORIES ON DEMAND





